

Research using the Multifactorial Memory Questionnaire

Original development

Troyer, A. K., & Rich, J. B. (2002). Psychometric properties of a new metamemory questionnaire for older adults. *Journals of Gerontology: Psychological Sciences*, 57(1), 19-27. <https://doi.org/10.1093/geronb/57.1.P19>

Validation of the MMQ

Karr, J. E. (2022). Compensatory cognitive strategy use by young adults: A psychometric evaluation of self-report measures. *Assessment*, 29(3), 441-454. <https://doi.org/10.1177/1073191120981769>

Shaikh, K. T., Tatham, E. L., Rich, J. B., & Troyer, A. K. (2021). Examining the factor structure of the Multifactorial Memory Questionnaire. *Memory*, 29(2), 255-260. <https://doi.org/10.1080/09658211.2021.1874995>

Troyer, A. K., Leach, L., Vandermorris, S., & Rich, J. B. (2019). The measurement of participant-reported memory across diverse populations and settings: A systematic review and meta-analysis of the Multifactorial Memory Questionnaire. *Memory*, 27(7), 931-942. <https://doi.org/10.1080/09658211.2019.1608255>

Yang, H.-L., Chou, K.-R., Lee, S.-C., Lin, P.-H., & Chiang, H.-Y. (2023). Test-retest reliability and random measurement error of the Multifactorial Memory Questionnaire in older adults with subjective memory complaints. *Gerontology and Geriatric Medicine*, 9. <https://doi.org/10.1177/23337214231171981>

Validation of MMQ translations

Csábi, E., Hallgató, E. & Volosin, M. (2023). The association between metamemory, subjective memory complaints, mood, and well-being: the Hungarian validation of Multifactorial Memory Questionnaire. *Cognitive Research*, 8, Article 15. <https://doi.org/10.1186/s41235-023-00469-y>

Fort, I., Adoul, L., Holl, D., Kaddour, J., & Gana, K. (2004). Psychometric properties of the French version of the Multifactorial Memory Questionnaire for adults and the elderly. *Canadian Journal on Aging*, 23(4), 347-357. <https://doi.org/10.1353/cja.2005.0020>

Ide, S., Takahashi, M., & Mori, N. (2004). Multifactorial Memory Questionnaire-Japanese version (MMQ-J): Assessing validity and reliability. *Gerontologist*, 44(Special Issue I), 518. https://doi.org/10.1093/geront/44.Special_Issue_I.1

Raimo, S., Trojano, L., Siciliano, M., Cuoco, S., D'Orario, Santangelo, F., Abbamonte, L., Grossi, D., & Santangelo, G. (2016). Psychometric properties of the Italian version of the Multifactorial Memory Questionnaire for adults and the elderly. *Neurological Sciences*, 37(5), 681-691. <https://doi.org/10.1007/s10072-016-2562-5>

Rekers, S., Heine, J., Thöne-Otto, A.I.T., & Finke, C. (2024). Neuropsychiatric symptoms and metamemory across the life span: Psychometric properties of the German Multifactorial Memory Questionnaire. *Journal of Neurology*. <https://doi.org/10.1007/s00415-024-12402-4>

Riffo, B., Reyes, F., & Véliz de Vos, M. (2013). Psychometric properties of Multifactorial Memory Questionnaire in Chilean adult population. *Terapia Psicológica*, 31(2), 227-237. <http://doi.org/10.4067/S0718-48082013000200009>

Simon, S. S., Ávila, R. T., Vieira, G., & Bottino, C. M. C. (2016). Metamemory and aging: Psychometric properties of the Brazilian version of the Multifactorial Memory Questionnaire for elderly. *Dementia & Neuropsychologia*, 10(2), 113-126. <https://doi.org/10.1590/s1980-5764-2016dn1002007>

van der Werf, S. P., & Vos, S. H. (2011). Memory worries and self-reported daily forgetfulness: A psychometric evaluation of the Dutch translation of the Multifactorial Memory Questionnaire. *The Clinical Neuropsychologist*, 25(2), 244-268. <https://doi.org/10.1080/13854046.2010.543290>

Use in validating other instruments

Becker, H., Stuifbergen, A. K., Henneghan, A., Morrison, J., Seo, E. J., & Zhang, W. (2019). An initial investigation of the reliability and validity of the Compensatory Cognitive Strategies Scale. *Neuropsychological Rehabilitation*, 29(5), 739-753. <https://doi.org/10.1080/09602011.2017.1329154>

Lanzi, A., Bourgeois, M. S., & Dedrick, R. F. (2020). Development and initial validation of the Functional External Memory Aid Tool. *American Journal of Speech-Language Pathology*, 29, 611-624. https://doi.org/10.1044/2019_AJSLP-19-00075

Ouellet, É., Boller, B., Corriveau-Lecavalier, N., Cloutier, S., & Belleville, S. (2018). The Virtual Shop: A new immersive virtual reality environment and scenario for the assessment of everyday memory. *Journal of Neuroscience Methods*, 303, 126-135. <https://doi.org/10.1016/j.jneumeth.2018.03.010>

Saraiva, R. B., van Boeijen, I. M., Hope, L., Horselenberg, R., Sauerland, M., & van Koppen, P. J. (2019). Development and validation of the Eyewitness Metamemory Scale. *Applied Cognitive Psychology*, 33(5), 964-973. <https://doi.org/10.1002/acp.3588>

Shaikh, K., Tatham, E., Parikh, P., McCreath, G., Rich, J. B., & Troyer, A. K. (2019). Development and psychometric validation of a questionnaire assessing the impact of memory changes in older adults. *The Gerontologist*, 59(4), e248-e257. <https://doi.org/10.1093/geront/gny011>

Measuring metamemory in clinical populations

Bampa, G., Moraitou, D., Metallidou, P., Masoura, E., Papantoniou, G., Sofologi, M., Kougioumtzis, G., Papatzikis, E., & Tsolaki, M. (2024). Metacognitive beliefs of efficacy about daily life situations and use of cognitive strategies in amnestic mild cognitive impairment: A cross-sectional study. *Frontiers in Psychology*, 15, Article 1275678. <https://doi.org/10.3389/fpsyg.2024.1275678>

Bazargan, M., Yazdanshenas, H., Gordon, D., & Orum, G. (2016). Pain in community-dwelling elderly African Americans. *Journal of Aging and Health*, 28(3), 403-425. <https://doi.org/10.1177/0898264315592600>

Chin, J., Oh, K. J., Seo, S. W., & Na, D. L. (2014). Are depressive symptomatology and self-focused attention associated with subjective memory impairment in older adults? *International Psychogeriatrics*, 26(4), 573-580. <https://doi.org/10.1017/S104161021300241X>

Chung, J. C. C., & Man, D. W. K. (2009). Self-appraised, informant-reported, and objective memory and cognitive function in mild cognitive impairment. *Dementia and Geriatric Cognitive Disorders*, 27(2), 187-193. <https://doi.org/10.1159/000200467>

Cuevas, H., Heitkemper, E., & Haque, B. (2022). Relationships among perception of cognitive function, diabetes self-management, and glucose variability in older adults: A mixed methods study. *Research in Gerontological Nursing*, 15(4), 203–212. <https://doi.org/10.3928/19404921-20220609-02>

- Cuevas, H., & Stuifbergen, A. (2017). Perceived cognitive deficits are associated with diabetes self-management in a multiethnic sample. *Journal of Diabetes & Metabolic Disorders*, 16, Article 7. <https://doi.org/10.1186/s40200-017-0289-3>
- Fortier-Brochu, É., & Morin, C. M. (2014). Cognitive impairment in individuals with insomnia: Clinical significance and correlates. *Sleep*, 37(11), 1787-1798. <https://doi.org/10.5665/sleep.4172>
- Giacobbe, C., Maggi, G., Borrello, L., Barone, A., Mastromarino, C., Antonelli, P., & Santangelo, G. (2024). Psychological and cognitive complaints in individuals with love addiction. *Journal of Affective Disorders Reports*, 16, Article 100785. <https://doi.org/10.1016/j.jadr.2024.100785>
- Henneghan, A. M., & Kesler, S. R. (2023). Subjective cancer-related cognitive impairments and salience network connectivity in breast cancer survivors. *Journal of Cancer Survivorship*, 17(4), 967-973. <https://doi.org/10.1007/s11764-022-01307-8>
- Henneghan, A., Stuifbergen, A., Becker, H., Kullberg, V., & Gloris, N. (2017). Perceived cognitive deficits in a sample of persons living with multiple sclerosis. *Journal of Neuroscience Nursing*, 49(5), 274-279. <https://doi.org/10.1097/JNN.0000000000000314>
- Hutchens, R. L., Kinsella, G. J., Ong, B., Pike, K. E., Parsons, S., Storey, E., Ames, D., Saling, M. M., Mullaly, E., Rand, E., & Clare, L. (2011). Knowledge and use of memory strategies in amnestic mild cognitive impairment. *Psychology and Aging*, 27(3), 768-777. <https://doi.org/10.1037/a0026256>
- Illman, N. A., Moulin, C. J. A., & Kemp, S. (2015). Assessment of everyday memory functioning in temporal lobe epilepsy and healthy adults using the Multifactorial Memory Questionnaire (MMQ). *Epilepsy Research*, 113, 86-89. <https://doi.org/10.1016/j.eplepsyres.2015.03.011>
- Lenehan, M. E., Klekociuk, S. Z., & Summers, M. J. (2012). Absence of a relationship between subjective memory complaint and objective memory impairment in mild cognitive impairment (MCI): Is it time to abandon subjective memory complaint as an MCI diagnostic criterion? *International Psychogeriatrics*, 24(9), 1505-1514. <https://doi.org/10.1017/S1041610212000695>
- Ling, J., Sun, W., Chan, N. Y., Zhang, J., Lam, S. P., Li, A. M., Chan, J. W. Y., Kyle, S. D., & Li, S. X. (2020). Effects of insomnia symptoms and objective short sleep duration on memory performance in youths. *Journal of Sleep Research*, 29(4), Article e13049. <https://doi.org/10.1111/jsr.13049>
- Parikh, P. K., Troyer, A. K., Maione, A. M., & Murphy, K. J. (2016). The impact of memory change on daily life in normal aging and mild cognitive impairment. *The Gerontologist*, 56(5), 877-885. <https://doi.org/10.1093/geront/gnv030>
- Phillips, L. J., & Stuifbergen, A. K. (2006). The influence of metamemory on the quality of life of persons with multiple sclerosis. *Journal of Neuroscience Nursing*, 38(6), 428-434. <https://doi.org/10.1097/01376517-200612000-00007>
- Picon, E. L., Wardell, V., Palombo, D. J., Todd, R. M., Aziz, B., Bedi, S., & Silverberg, N. D. (2023). Factors perpetuating functional cognitive symptoms after mild traumatic brain injury. *Journal of Clinical and Experimental Neuropsychology*, 45(10), 988-1002. <https://doi.org/10.1080/13803395.2023.2247601>
- Unkenstein, A. E., Bryant, C. A., Judd, F. K., Ong, B., & Kinsella, G. J. (2016). Understanding women's experience of memory over the menopausal transition: Subjective and objective memory in pre-, peri-, and postmenopausal women. *Menopause*, 23(12), 1319-1329. <https://doi.org/10.1097/GME.0000000000000705>
- Van der Werf, S. P., Geurts, S., & de Werd, M. M. E. (2016). Subjective memory ability and long-term forgetting in patients referred for neuropsychological assessment. *Frontiers in Psychology*, 7, Article 605. <https://doi.org/10.3389/fpsyg.2016.00605>

Wren, G. H., Flanagan, J., Underwood, J. F. G., Thompson, A. R., Humby, T., & Davies, W. (2024). Memory, mood and associated neuroanatomy in individuals with steroid sulphatase deficiency (X-linked ichthyosis). *Genes, Brain, and Behavior*, 23(3), Article e12893. <https://doi.org/10.1111/gbb.12893>

Wu, G., Liu, P., Zhang, J., Li, D., Yang, J., Yan, J., Liu, Y., Sun, J., Wang, Y., Xia, Y., & Zhang, F. (2024). Cognitive function and medication adherence in older adults with H-type hypertension: The mediating effect of metamemory. *Journal of Gerontological Nursing*, 50(6), 44–52. <https://doi.org/10.3928/00989134-20240503-03>

Use of MMQ as an outcome measure

Anderson, N. D., Ebert, P. L., Grady, C. L., & Jennings, J. (2018). Repetition lag training eliminates age-related recollection deficits (and gains are maintained after three months) but does not transfer: Implications for the fractionation of recollection. *Psychology and Aging*, 33(1), 93-108. <https://doi.org/10.1037/pag0000214>

Bampa, G., Moraitou, D., Metallidou, P., Masoura, E., Papantoniou, G., Sofologi, M., Kougioumtzis, G. A., & Tsolaki, M. (2024). The efficacy of a metacognitive training program in amnestic mild cognitive impairment: A 6-month follow-up clinical study. *Healthcare*, 12(10), Article 1019. <https://doi.org/10.3390/healthcare12101019>

Batista, A. X., Bazán, P. R., Conforto, A. B., Martin, M. G. M., Simon, S. S., Hampstead, B., Figueiredo, E. G., & Miotto, E. C. (2019). Effects of mnemonic strategy training on brain activity and cognitive functioning of left-hemisphere ischemic stroke patients. *Neural Plasticity*, 2019, Article 4172569. <https://doi.org/10.1155/2019/4172569>

Beaulieu-Bonneau, S., Dubois, L., Lafond-Desmarais, S. J., Fortin, S., Forest-Dionne, G., Ouellet, M. C., ... Gullo, H. L. (2023). Use of smartphones and tablets after acquired brain injury to support cognition. *Disability and Rehabilitation: Assistive Technology*, 19(4), 1473–1481. <https://doi.org/10.1080/17483107.2023.2199036>

Becker, H., Henneghan, A. M., Volker, D. L., & Mikan, S. Q. (2017). A pilot study of a cognitive-behavioral intervention for breast cancer survivors. *Oncology Nursing Forum*, 44(2), 255-264. <https://doi.org/10.1188/17.ONF.255-264>

Belleville, S., Hudon, C., Bier, N., Brodeur, C., Gilbert, B., Grenier, S., Ouellet, M.-C., Viscogliosi, C., & Gauthier, S. (2018). MEMO+: Efficacy, durability and effect of cognitive training and psychosocial intervention in individuals with mild cognitive impairment. *Journal of the American Geriatrics Society*, 66(4), 655-663. <https://doi.org/10.1111/jgs.15192>

Belleville, S., Moussard, A., Ansaldo, A. I., Belchior, P., Bherer, L., Bier, N., Bohbot, V. D., Bruneau, M.-A., Cuddy, L. L., Gilbert, B., Jokel, R., Mahalingam, K., McGilton, K., Murphy, K. J., Naglie, G., Rochon, E., Troyer, A. K., & Anderson, N. D. (2019). Rationale and protocol of the ENGAGE study: A double-blind randomized controlled preference trial using a comprehensive cohort design to measure the effect of a cognitive and leisure-based intervention in older adults with a memory complaint. *Trials*, 20, Article 282. <https://doi.org/10.1186/s13063-019-3250-6>

Bernstein, L. J., McCreath, G. A., Nyhof-Young, J., Dissanayake, D., & Rich, J. B. (2018). A brief psychoeducational intervention improves memory contentment in breast cancer survivors with cognitive concerns: Results of a single-arm prospective study. *Supportive Care in Cancer*, 26(8), 2851–2859. <https://doi.org/10.1007/s00520-018-4135-z>

Biermann, J. S., & Hartman-Stein, P. E. (2011). Keys to a Sharp Mind: Providing choice and quality programming in a retirement community. In P. E. Hartman-Stein & A. La Rue (Eds.) *Enhancing cognitive fitness in adults: A*

- guide to the use and development of community-based programs* (pp. 107-124). New York: Springer.
https://doi.org/10.1007/978-1-4419-0636-6_6
- Bjekić, J., Živanović, M., Paunović, D., Vulić, K., Konstantinović, U., & Filipović, S. R. (2022). Personalized frequency modulated transcranial electrical stimulation for associative memory enhancement. *Brain Sciences*, 12, Article 472. <https://doi.org/10.3390/brainsci12040472>
- Boller, B., Ouelle, É., & Belleville, S. (2021). Using virtual reality to assess and promote transfer of memory training in older adults with memory complaints: A randomized controlled trial. *Frontiers in Psychology*, 12, Article 627242. <https://doi.org/10.3389/fpsyg.2021.627242>
- Bolling, A. J., King, V. L., Enam, T., & McDonough, I. M. (2021). Using transcranial direct current stimulation (tDCS) on the dorsolateral prefrontal cortex to promote long-term foreign language vocabulary learning. *Brain and Cognition*, 154(2021), Article 105789. <https://doi.org/10.1016/j.bandc.2021.105789>
- Caretti, B., Borella, E., Zavagnin, M., & De Beni, R. (2011). Impact of metacognition and motivation on the efficacy of strategic memory training in older adults: Analysis of specific, transfer and maintenance effects. *Archives of Gerontology and Geriatrics*, 52(3), e192-e197. <https://doi.org/10.1016/j.archger.2010.11.004>
- Cassel, A., & Humphreys, K. (2016). Psychological therapy for psychogenic amnesia: Successful treatment in a single case study. *Neuropsychological Rehabilitation*, 26(3), 374-391.
<https://doi.org/10.1080/09602011.2015.1033431>
- Cherrier, M.M., Higano, C.S. & Gray, H.J. (2022). Cognitive skill training improves memory, function, and use of cognitive strategies in cancer survivors. *Supportive Care in Cancer* 30(1), 711–720.
<https://doi.org/10.1007/s00520-021-06453-w>
- Cuevas, H., & Carter, S. (2021). An adaptation of the memory, attention, and problem solving skills for persons with diabetes intervention. *Computers, Informatics, Nursing*, 39(3), 162-169.
<https://doi.org/10.1097/CIN.0000000000000663>
- Cuevas, H. E., Stuifbergen, A. K., & Brown, S. A. (2020). Targeting cognitive function: Development of a cognitive training intervention for diabetes. *International Journal of Nursing Practice*, 26(5), Article e12825.
<https://doi.org/10.1111/ijn.12825>
- Das, N., Spence, J. S., Aslan, S., Vanneste, S., Mudar, R., Rackley, A., Quiceno, M., & Bond Chapman, S. (2019). Cognitive training and transcranial direct current stimulation in mild cognitive impairment: A randomized pilot trial. *Frontiers in Neuroscience*, 13, Article 307. <https://doi.org/10.3389/fnins.2019.00307>
- Desgagnés-Cyr, C.-É., Bier, N., Parisien, M., Nour, K., Auger, L.-P., Fournier, B., & Laforest, S. (2015). Effect of physical activity among seniors participating in a cognitive health promotion program. *Healthy Aging Research*, 4(1), Article 25. <https://doi.org/10.12715/har.2015.4.25>
- Fairchild, J. K., & Scogin, F. R. (2010). Training to Enhance Adult Memory (TEAM): An investigation of the effectiveness of a memory training program with older adults. *Aging & Mental Health*, 14(3), 364-373.
<https://doi.org/10.1080/13607860903311733>
- Fogarty, J., Murphy, K. J., McFarlane, B., Montero-Odasso, M., Wells, J., Troyer, A. K., Trinh, D., Gutmanis, I., & Hansen, K. T. (2016). Taoist Tai Chi and memory intervention for individuals with mild cognitive impairment. *Journal of Aging and Physical Activity*, 24(2), 169-180. <https://doi.org/10.1123/japa.2014-0062>
- Franke, C., Raeder, V., Boesl, F., Bremer, B., Adam, L. C., Gerhard, A., Eckert, I., Quitschau, A., Pohrt, A., Burock, S., Bruckert, L., Scheibenbogen, C., Prüß, H., & Audebert, H. J. (2024). Randomized controlled double-blind trial of methylprednisolone versus placebo in patients with post-COVID-19 syndrome and cognitive deficits:

- Study protocol of the post-corona-virus immune treatment (PoCoVIT) trial. *Neurological Research and Practice*, 6, Article 16. <https://doi.org/10.1186/s42466-024-00311-w>
- Hatch, S., Finlayson, M., Rej, S., & Kessler, D. (2023). Virtually-delivered Emotion Focused Mindfulness Therapy (EFMT) group vs. wait-list control for late-life anxiety: A randomized controlled trial. *The American Journal of Geriatric Psychiatry*, 31(10), 767-782. <https://doi.org/10.1016/j.jagp.2023.04.007>.
- Hermes, S., Lurz, M., Böhm, M., & Krcmar, H. (2019). Evaluating the usability and usefulness of a mobile application for training visual mnemonic techniques in participants with subjective cognitive decline: An exploratory pilot study. *Procedia Computer Science*, 160, 439-444. <https://doi.org/10.1016/j.procs.2019.11.067>
- Hohaus, L. (2007). Remembering to age successfully: Evaluation of a successful aging approach to memory enhancement. *International Psychogeriatrics*, 19(1), 137-150. <https://doi.org/10.1017/S1041610206003760>
- Hudes, R., Rich, J. B., Troyer, A. K., Yusupov, I., & Vandermorris, S. (2019). The impact of memory-strategy training interventions on participant-reported outcomes in healthy older adults: A systematic review and meta-analysis. *Psychology and Aging*, 34(4), 587-597. <https://doi.org/10.1037/pag0000340>
- Imbeault, H., Gagnon, L., Pigot, H., Giroux, S., Marcotte, N., Cribier-Delande, P., Duval, J., Bocti, C., Lacombe, G., Fülöp, T., & Bier, N. (2018). Impact of AP@LZ in the daily life of three persons with Alzheimer's disease: Long-term use and further exploration of its effectiveness. *Neuropsychological Rehabilitation*, 28(5), 755-778. <https://doi.org/10.1080/09602011.2016.1172491>
- Imbeault, H., Langlois, F., Bocti, C., Gagnon, L., & Bier, N. (2018). Can people with Alzheimer's disease improve their day-to-day functioning with a tablet computer? *Neuropsychological Rehabilitation*, 28(5), 779-796. <https://doi.org/10.1080/09602011.2015.1133431>
- Jean, L., Simard, M., Wiederkehr, S., Bergeron, M.-È., Turgeon, Y., Hudon, C., Tremblay, I., & van Reekum, R. (2010). Efficacy of a cognitive training programme for mild cognitive impairment: Results of a randomised controlled study. *Neuropsychological Rehabilitation*, 20(3), 377-405. <https://doi.org/10.1080/09602010903343012>
- Jeong, J. H., Na, H. R., Choi, S. H., Kim, J., Na, D. L., Seo, S. W., Chin, J., Park, S. A., Kim, E.-J., Han, H. J., Han, S.-H., Yoon, S. J., Lee, J.-H., Park, K. W., Moon, S. Y., Park, M. H., Choi, M. S., Han, I.-W., Lee, J. H., . . . Kim, J. Y. (2016). Group- and home-based cognitive intervention for patients with mild cognitive impairment: A randomized controlled trial. *Psychotherapy and Psychosomatics*, 85(4), 198-207. <https://doi.org/10.1159/000442261>
- Kinsella, G. J., Ames, D., Storey, E., Ong, B., Pike, K. E., Saling, M. M., Clare, L., Mullaly, E., & Rand, E. (2015). Strategies for improving memory: A randomized trial of memory groups for older people, including those with mild cognitive impairment. *Journal of Alzheimer's Disease*, 49(1), 31-43. <https://doi.org/10.3233/JAD-150378>
- Kinsella, G. J., Mullaly, E., Rand, E., Ong, B., Burton, C., Price, S., Phillips, M., & Storey, E. (2009). Early intervention for mild cognitive impairment: A randomised controlled trial. *Journal of Neurology, Neurosurgery, and Psychiatry*, 80(7), 730-736. <https://doi.org/10.1136/jnnp.2008.148346>
- Klaming, L., Robbemond, L., Lemmens, P., & Hart de Ruijter, E. (2023). Digital compensatory cognitive training for older adults with memory complaints. *Activities, Adaptation & Aging*, 47(1), 10-39. <https://doi.org/10.1080/01924788.2022.2044989>

- Konsztowicz, S., Anton, J., Crane, J., Moafmashhadi, P., & Koski, L. (2013). A pilot study of training and compensation interventions for mild cognitive impairment. *Dementia and Geriatric Cognitive Disorders Extra*, 3(1), 192-201. <https://doi.org/10.1159/000350026>
- Laforest, S., Lorthios-Guilleldroit, A., Nour, K., Parisien, M., Fournier, M., Elleemberg, D., Guay, D., Desgagnés-Cyr, C.-É., & Bier, N. (2017). Attitudes and lifestyle changes following *Jog your Mind*: Results from a multi-factorial community-based program promoting cognitive vitality among seniors. *Health Education Research*, 32(2), 184-196. <https://doi.org/10.1093/her/cyx031>
- Lanca, M., Giuliano, A. J., Sarapas, C., Potter, A. I., Kim, M. S., West, A. L., & Chow, C. M. (2020). Clinical outcomes and satisfaction following neuropsychological assessment for adults: A community hospital prospective quasi-experimental study. *Archives of Clinical Neuropsychology*, 35(8), 1303-1311. <https://doi.org/10.1093/arclin/acz059>
- Lanzi, A., & Bourgeois, M. S. (2020). Structured external memory aid treatment for mild cognitive impairment. *American Journal of Speech-Language Pathology*, 29(1S), 474-484. https://doi.org/10.1044/2019_AJSLP-CAC48-18-0209
- Lanzi, A., Wallace, S. E., & Bourgeois, M. (2019). Group external memory aid treatment for mild cognitive impairment. *Aphasiology*, 33(3), 320-336. <https://doi.org/10.1080/02687038.2018.1466104>
- Li, B., Zhu, X., Jou, J., Chen, T., Wang, P., & Li, J. (2016). Combined cognitive training vs. memory strategy training in healthy older adults. *Frontiers in Psychology*, 7, Article 834. <https://doi.org/10.3389/fpsyg.2016.00834>
- Lorthios-Guilleldroit, A., Parisien, M., Nour, K., Fournier, B., Guay, D., & Bier, N. (2020). Cognitive health promotion program for community-dwelling seniors: Who are we reaching? *Journal of Applied Gerontology*, 39(6), 588-600. <https://doi.org/10.1177/0733464818790190>
- Man, D. W. K., Chung, J. C. C., & Lee, G. Y. Y. (2012). Evaluation of a virtual reality-based memory training programme for Hong Kong Chinese older adults with questionable dementia: A pilot study. *International Journal of Geriatric Psychiatry*, 27(5), 513-520. <https://doi.org/10.1002/gps.2746>
- Marin, A., DeCaro, R., Schiloski, K., Elshaar, A., Dwyer, B., Vives-Rodriguez, A., Palumbo, R., Turk, K., & Budson, A. (2022). Home-based electronic cognitive therapy in patients with Alzheimer disease: Feasibility randomized controlled trial. *Journal of Medical Internet Research Formative Research*, 6(9), Article e34450. <https://doi.org/10.2196/34450>
- Matthews, M. L., Pike, K. E., Wright, B. J., & Kinsella, G. J. (2020). Predictors of long-term improvement in subjective everyday memory following a memory group program for older adults. *Journal of Aging and Health*, 32(3-4), 216-226. <https://doi.org/10.1177/0898264318814997>
- Mudar, R. A., Chapman, S. B., Rackley, A., Eroh, J., Chiang, H.-S., Perez, A., Venza, E., & Spence, J. S. (2017). Enhancing latent cognitive capacity in mild cognitive impairment with gist reasoning training: A pilot study. *International Journal of Geriatric Psychiatry*, 32(5), 548-555. <https://doi.org/10.1002/gps.4492>
- O'Connor, M. K., Kraft, M. L., Daley, R., Sugarman, M. A., Clark, E. L., Scoglio, A. A. J., & Shirk, S. D. (2018). The Aging Well through Interaction and Scientific Education (AgeWISE) Program. *Clinical Gerontologist*, 41(5), 412-423. <https://doi.org/10.1080/07317115.2017.1387212>
- Oh, S. J., Seo, S., Lee, J. H., Song, M. J., & Shin, M.-S. (2018). Effects of smartphone-based memory training for older adults with subjective memory complaints: A randomized controlled trial. *Aging & Mental Health*, 22(4), 526-534. <https://doi.org/10.1080/13607863.2016.1274373>

- Pang, Y., & Kim, O. (2021). Effects of smartphone-based compensatory cognitive training and physical activity on cognition, depression, and self-esteem in women with subjective cognitive decline. *Brain Sciences*, 11, 1029. <https://doi.org/10.3390/brainsci11081029>
- Pike, K. E., Ong, B., Clare, L., & Kinsella, G. J. (2018). Face-name memory training in subjective memory decline: How does office-based training translate to everyday situations? *Aging, Neuropsychology, and Cognition*, 25(5), 724-752. <https://doi.org/10.1080/13825585.2017.1366971>
- Polsinelli, A. J., Kaszniak, A. W., Glisky, E. L., & Ashish, D. (2020). Effects of a brief, online, focused attention mindfulness training on cognition in older adults: A randomized controlled trial. *Mindfulness*, 11, 1182-1193. <https://doi.org/10.1007/s12671-020-01329-2>
- Poole, N., Cope, S., Vanzan, S., Duffus, A., Mantovani, N., Smith, J., Barrett, B. M., Tokley, M., Scicluna, M., Beardmore, S., Turner, K., Edwards, M., & Howard, R. (2023). Feasibility randomised controlled trial of online group Acceptance and Commitment Therapy for Functional Cognitive Disorder (ACT4FCD). *BMJ Open*, 13, Article e072366. <https://doi.org/10.1136/bmjopen-2023-072366>
- Regan, B., Wells, Y., Farrow, M., O'Halloran, P., & Workman, B. (2017). MAXCOG – Maximizing Cognition: A randomized controlled trial of the efficacy of goal-oriented cognitive rehabilitation for people with mild cognitive impairment and early Alzheimer disease. *American Journal of Geriatric Psychiatry*, 25(3), 258-269. <https://doi.org/10.1016/j.jagp.2016.11.008>
- Rotenberg, S., & Maeir, A. (2018). Occupation-based metacognitive group intervention for older adults experiencing memory problems: Feasibility study. *British Journal of Occupational Therapy*, 81(10), 582-590. <https://doi.org/10.1177/0308022618760787>
- Savage, K. R., & Svoboda, E. (2012). Long-term benefits of the Memory-Link programme in a case of amnesia. *Clinical Rehabilitation*, 27(6), 521-526. <https://doi.org/10.1177/0269215512464230>
- Schmitter-Edgecombe, M., Howard, J. T., Pavawalla, S. P., Howell, L., & Rueda, A. (2008). Multiday memory notebook intervention for very mild dementia: A pilot study. *American Journal of Alzheimer's Disease & Other Dementias*, 23(5), 477-487. <https://doi.org/10.1177/1533317508320794>
- Simon, S. S., Hampstead, B. M., Nucci, M. P., Duran, F. L. S., Fonseca, L. M., Martin, M. G. M., Ávila, R., Porto, F. H. G., Brucki, S. M. D., Martins, C. B., Tascone, L. S., Amaro, E., Jr., Busatto, G. F., & Bottino, C. M. C. (2018). Cognitive and brain activity changes after mnemonic strategy training in amnestic mild cognitive impairment: Evidence from a randomized controlled trial. *Frontiers in Aging Neuroscience*, 10, Article 342. <https://doi.org/10.3389/fnagi.2018.00342>
- Stamenova, V., Jennings, J. M., Cook, S. P., Gao, F., Walker, L. A. S., Smith, A. M., & Davidson, P. S. R (2017). Repetition-lag memory training is feasible in patients with chronic stroke, including those with memory problems. *Brain Injury*, 31(1), 57-67. <https://doi.org/10.1080/02699052.2016.1222081>
- Stamenova, V., Jennings, J. M., Cook, S. P., Walker, L. A. S., Smith, A. M., & Davidson, P. S. R. (2014). Training recollection in healthy older adults: Clear improvements on the training task, but little evidence of transfer. *Frontiers in Human Neuroscience*, 8, Article 898. <https://doi.org/10.3389/fnhum.2014.00898>
- Stuifbergen, A. K., Becker, H., Perez, F., Morrison, J., Brown, A., Kullberg, V., & Zhang, W. (2018). Computer-assisted cognitive rehabilitation in persons with multiple sclerosis: Results of a multi-site randomized controlled trial with six month follow-up. *Disability and Health Journal*, 11(3), 427-434. <https://doi.org/10.1016/j.dhjo.2018.02.001>

- Stuifbergen, A. K., Becker, H., Perez, F., Morison, J., Kullberg, V., & Todd, A. (2012). A randomized controlled trial of a cognitive rehabilitation intervention for persons with multiple sclerosis. *Clinical Rehabilitation*, 26(10), 882-893. <https://doi.org/10.1177/0269215511434997>
- Svoboda, E., & Richards, B. (2009). Compensating for anterograde amnesia: A new training method that capitalizes on emerging smartphone technologies. *Journal of the International Neuropsychological Society*, 15(4), 629-638. <https://doi.org/10.1017/S1355617709090791>
- Svoboda, E., Richards, B., Leach, L., & Mertens, V. (2012). PDA and smartphone use by individuals with moderate-to-severe memory impairment: Application of a theory-driven training programme. *Neuropsychological Rehabilitation*, 22(3), 408-427. <https://doi.org/10.1080/09602011.2011.652498>
- Troyer, A. K. (2001). Improving memory knowledge, satisfaction, and functioning via an education and intervention program for older adults. *Aging, Neuropsychology, and Cognition*, 8(4), 256-268. <https://doi.org/10.1076/anec.8.4.256.5642>
- Troyer, A. K., Murphy, K. J., Anderson, N. D., Moscovitch, M., & Craik, F. I. M. (2008). Changing everyday memory behaviour in amnestic mild cognitive impairment: A randomized controlled trial. *Neuropsychological Rehabilitation*, 18(1), 65-88. <https://doi.org/10.1080/09602010701409684>
- Unkenstein, A. E., Bei, B., & Bryant, C. A. (2017). Enhancing memory self-efficacy during menopause through a group memory strategies program. *Menopause*, 24(5), 574-581. <https://doi.org/10.1097/GME.0000000000000803>
- Vandermorris, S., Au, A., Gardner, S., & Troyer, A. K. (2022). Initiation and maintenance of behaviour change to support memory and brain health in older adults: A randomized controlled trial. *Neuropsychological Rehabilitation*, 32(4), 611-628. <https://doi.org/10.1080/09602011.2020.1841656>
- Vázquez, F. L., Torres, Á. J., Otero, P., Blanco, V., López, L., García-Casal, A., & Arrojo, M. (2019). Cognitive-behavioral intervention via interactive multimedia online video game for active aging: Study protocol for a randomized controlled trial. *Trials*, 20, Article 692. <https://doi.org/10.1186/s13063-019-3859-5>
- Wiegand, M. A., Troyer, A. K., Gojmerac, C., & Murphy, K. J. (2013). Facilitating change in health-related behaviours and intentions: A randomized controlled trial of a multidimensional memory program for older adults. *Aging & Mental Health*, 17(7), 806-815. <https://doi.org/10.1080/13607863.2013.789000>
- Willems, S., Didone, V., Cabello Fernandez, C., Delrue, G., Slama, H., Fery, P., Goin, J., Della Libera, C., COVCOG Group, & Collette, F. (2023). COVCOG: Immediate and long-term cognitive improvement after cognitive versus emotion management psychoeducation programs - a randomized trial in COVID patients with neuropsychological difficulties. *BMC Neurology*, 23, Article 307. <https://doi.org/10.1186/s12883-023-03346-9>
- Wirth, M., Schwarz, C., Benson, G., Horn, N., Buchert, R., Lange, C., Köbe, T., Hetzer, S., Maglione, M., Michael, E., Märschenz, S., Mai, K., Kopp, U., Schmitz, D., Grittner, U., Sigrist, S. J., Stekovic, S., Madeo, F., & Flöel, A. (2019). Effects of spermidine supplementation on cognition and biomarkers in older adults with subjective cognitive decline (SmartAge): Study protocol for a randomized controlled trial. *Alzheimer's Research & Therapy*, 11, Article 36. <https://doi.org/10.1186/s13195-019-0484-1>
- Yang, H.-L., Chu, H., Kao, C.-C., Chiu, H.-L., Tseng, I.-J., Tseng, P., & Chou, K.-R. (2019). Development and effectiveness of virtual interactive working memory training for older people with mild cognitive impairment: A single-blind randomised controlled trial. *Age and Ageing*, 48(4), 519-525. <https://doi.org/10.1093/ageing/afz029>

Zhao, J., Li, H., Lin, R., Wei, Y., & Yang, A. (2018). Effects of creative expression therapy for older adults with mild cognitive impairment at risk of Alzheimer's disease: A randomized controlled clinical trial. *Clinical Interventions in Aging*, 13, 1313-1320. <https://doi.org/10.2147/CIA.S161861>

Reviews of memory questionnaires

Gopi, Y., & Madan, C. R. (2024). Subjective memory measures: Metamemory questionnaires currently in use. *Quarterly Journal of Experimental Psychology*, 77(5), 924-942. <https://doi.org/10.1177/17470218231183855>

Rabin, L. A., Sikkes, S. A. M., Tommet, D., Jones, R. N., Crane, P. K., Elbulok-Charape, M. M., Dubbelman, M. A., Koscik, R., Amariglio, R. E., Buckley, R. F., Boada, M., Chételat, G., Dubois, B., Ellis, K. A., Gifford, K. A., Jefferson, A. L., Jessen, F., Johnson, S., Katz, M. J., . . . the Health and Aging Brain Study: Health Disparities (HABS-HD) Study Team. (2023). Linking self-perceived cognitive functioning questionnaires using item response theory: The subjective cognitive decline initiative. *Neuropsychology*, 37(4), 463–499. <https://doi.org/10.1037/neu0000888>

Rabin, L. A., Smart, C. M., Crane, P. K., Amariglio, R. E., Berman, L. M., Boada, M., Buckley, R. F., Chételat, G., Dubois, B., Ellis, K. A., Gifford, K. A., Jefferson, A. L., Jessen, F., Katz, M. J., Lipton, R. B., Luck, T., Maruff, P., Mielke, M. M., Molinuevo, J. L., Naeem, F., . . . Sikkes, S. A. (2015). Subjective cognitive decline in older adults: An overview of self-report measures used across 19 international research studies. *Journal of Alzheimer's Disease*, 48 Suppl 1(0 1), S63–S86. <https://doi.org/10.3233/JAD-150154>

Other research

Alamolhoda, M. & Zeinali, A. (2021). The role of metacognition, metamemory and meta-emotion in predicting students' self-directed learning. *Journal of Instruction and Evaluation*, 14(53), 93-108. <https://doi.org/10.30495/JINEV.2021.683363>

Auger, L.-P., Fournier, B., Desgagnés-Cyr, C.-É., Parisien, M., Nour, K., Fournier, M., Guay, D., & Bier, N. (2020). Leisure practice and its relations to cognitive vitality for seniors attending community organizations. *World Leisure Journal*, 62(1), 18-34. <https://doi.org/10.1080/16078055.2019.1652208>

Bazargan, M., Smith, J., Yazdanshenas, H., Movassaghi, M., Martins, D., & Orum, G. (2017). Non-adherence to medication regimens among older African-American adults. *BMC Geriatrics*, 17, Article 163. <Https://doi.org/10.1186/s12877-017-0558-5>

Becker, H., Stuifbergen, A. K., Zhang, W., & Sales, A. C. (2020). Moderator effects in intervention studies. *Nursing Research*, 69(1), 62-68. <https://doi.org/10.1097/NNR.0000000000000398>

Bruno, J., Hadi Hosseini, S. M., & Kesler, S. (2012). Altered resting state functional brain network topology in chemotherapy-treated breast cancer survivors. *Neurobiological Disorders*, 48(3), 329-338. <https://doi.org/10.1016/j.nbd.2012.07.009>

D'Iorio, A., Esposito, M., Maggi, G., Amboni, M., Vitale, C., & Santangelo, G. (2021). Neuropsychological correlates of prospective memory: A comparison between tremor-dominant Parkinson's disease and cervical dystonia. *Journal of Clinical Neuroscience*, 87, 156-161. <https://doi.org/10.1016/j.jocn.2021.03.006>

Das, N., Ren, J., Spence, J. S., Rackley, A., & Chapman, S. B. (2020). Relationship of parieto-occipital brain energy phosphate metabolism and cognition using 31P MRS at 7-tesla in amnestic mild cognitive impairment. *Frontiers in Aging Neuroscience*, 12, Article 222. <https://doi.org/10.3389/fnagi.2020.00222>

Ferguson, S., Friedland, D., & Woodberry, E. (2015). Smartphone technology: Gentle reminders of everyday tasks for those with prospective memory difficulties post-brain injury. *Brain Injury*, 29(5), 583-591.

<https://doi.org/10.3109/02699052.2014.1002109>

Freedman, M., Leach, L., Tartaglia, M. C., Stokes, K. A., Goldberg, Y., Spring, R., Nourhaghghi, N., Gee, T., Strother S. C., Alhaj, M. O., Borrie, M., Darvesh, S., Fernandez, A., Fischer, C. E., Fogarty, J., Greenberg, B. D., Gyenes, M., Herrmann, N., Keren, R., . . . Tang-Wai, D. F. (2018). The Toronto Cognitive Assessment (TorCA): Normative data and validation to detect amnestic mild cognitive impairment. *Alzheimer's Research & Therapy*, 10, Article 65. <https://doi.org/10.1186/s13195-018-0382-y>

Geurts, S., van der Werf, S. P., Kwa, V. I. H., & Kessels, R. P. C. (2019). Accelerated long-term forgetting after TIA or minor stroke: A more sensitive measure for detecting subtle memory dysfunction? *Cortex*, 110(1), 150-156. <https://doi.org/10.1016/j.cortex.2018.04.002>

Guardia, T., Cote, K. A., Healey, M. K., Gammage, K. L., & Campbell, K. L. (2024). Self-reported physical activity and sleep quality is associated with working memory function in middle-aged and older adults during the COVID-19 pandemic. *Aging, Neuropsychology, and Cognition*. Advance online publication. <https://doi.org/10.1080/13825585.2024.2333066>

Heidari, Z., & Feizi, A. (2017). The Isfahan comprehensive elderly study: Objectives, research design, methodology, and preliminary results. *Journal of Research in Medical Sciences*, 22, Article 85. https://doi.org/10.4103/jrms.JRMS_309_17

Henderson, S. E., & Campbell, K. L. (2023). Reduced distinctiveness of event boundaries in older adults with poor memory performance. *Psychology and Aging*, 38(5), 401–414. <https://doi.org/10.1037/pag0000765>

Imbeault, H., Bier, N., Pigot, H., Gagnon, L., Marcotte, N., Fulop, T., & Giroux, S. (2014). Electronic organiser and Alzheimer's disease: Fact or fiction? *Neuropsychological Rehabilitation*, 24(1), 71-100. <https://doi.org/10.1080/09602011.2013.858641>

Kesler, S. R., Janelsins, M., Koovakkattu, D., Palesh, O., Mustian, K., Morrow, G., & Dhabhar, F. (2013). Reduced hippocampal volume and verbal memory performance associated with interleukin-6 and tumor necrosis factor-alpha levels in chemotherapy-treated breast cancer survivors. *Brain, Behavior, and Immunity*, 30(Supplement), S109-S116. <https://doi.org/10.1016/j.bbi.2012.05.017>

Kesler, S. R., Watson, C., Koovakkattu, D., Lee, C., O'Hara, R., Mahaffey, M. L., & Wefel, J. S. (2013). Elevated prefrontal myo-inositol and choline following breast cancer chemotherapy. *Brain Imaging and Behavior*, 7(4), 501-510. <https://doi.org/10.1007/s11682-013-9228-1>

Kesler, S. R., Wefel, J. S., Hadi Hosseini, S. M., Cheung, M., Watson, C. L., & Hoeft, F. (2013). Default mode network connectivity distinguishes chemotherapy-treated breast cancer survivors from controls. *Proceedings of the National Academy of Sciences*, 110(28), 11600-11605. <https://doi.org/10.1073/pnas.1214551110>

Matteau, E., Dupré, N., Langlois, M., Jean, L., Thivierge, S., Provencher, P., & Simard, M. (2011). Mattis Dementia Rating Scale 2: Screening for MCI and dementia. *American Journal of Alzheimer's Disease and Other Dementias*, 26(5), 389-398. <https://doi.org/10.1177/1533317511412046>

McGarrigle, R., Knight, S., Hornsby, B. W. Y., & Mattys, S. (2021). Predictors of listening-related fatigue across the adult life span. *Psychological Science*, 32(12), 1937-1951. <https://doi.org/10.1177/09567976211016410>

Mellor, A., Bucks, R. S., McGowan, H., & Waters, F. (2018). Self-reported sleep and cognition: An examination of competing functional models. *Archives of Psychology*, 2(1), Article 37. Available at <https://archivesofpsychology.org/index.php/aop/article/view/37>

- Muscarella, C., Mairesse, L., Hughes, G., Neu, D., & Van den Bussche, E. (2019). Recruitment dynamics of cognitive control in insomnia. *Sleep*, 42(5), Article zsz039. <https://doi.org/10.1093/sleep/zsz039>
- Rotenberg, S., Maeir, A., & Dawson, D. R. (2020). Changes in activity participation among older adults with subjective cognitive decline or objective cognitive deficits. *Frontiers in Neurology*, 10, Article 1393. <https://doi.org/10.3389/fneur.2019.01393>
- Rotenberg Shpigelman, S., Sternberg, S., & Maeir, A. (2019). Beyond memory problems: Multiple obstacles to health and quality of life in older people seeking help for subjective memory complaints. *Disability and Rehabilitation*, 41(1), 19-25. <https://doi.org/10.1080/09638288.2017.1370729>
- Ryan, A. D., & Campbell, K. L. (2024). Time spent imagining does not influence younger and older adults' episodic simulation of helping behavior. *Aging, Neuropsychology, and Cognition*. Advance online publication. <https://doi.org/10.1080/13825585.2024.2327677>
- Saraiva, R. B., Hope, L., Horselenberg, R., Ost, J., Sauer, J. D., & van Koppen, P. J. (2020). Using metamemory measures and memory tests to estimate eyewitness free recall performance. *Memory*, 28(1), 94-106. <https://doi.org/10.1080/09658211.2019.1688835>
- Saraiva, R. B., van Boeijen, I. M., Hope, L., Horselenberg, R., Sauerland, M., & van Koppen, P. J. (2020). Eyewitness metamemory predicts identification performance in biased and unbiased line-ups. *Legal and Criminological Psychology*, 25(2), 111-132. <https://doi.org/10.1111/lcp.12166>
- Shaikh, K. T., Tatham, E. L., Vandermorris, S., Paterson, T., Stokes, K., Freedman, M., Levine, B., Rich, J. B., & Troyer, A. K. (2021). The impact of memory change on everyday life among older adults: Association with cognition and self-reported memory. *Journal of the International Neuropsychological Society*, 27(9), 896-904. <http://dx.doi.org/10.1017/S1355617720001344>
- Sublett, J. F., & Bisconti, T. L. (2023). Metamemory and self-compassion as protective factors in the relationship between benevolent ageism and environmental mastery. *Journal of Applied Gerontology*, 42(6), 1179–1190. <https://doi.org/10.1177/07334648231163847>
- Terao, C. M., Pishdadian, S., Moscovitch, M., & Rosenbaum, R. S. (2024). Ask how they did it: Untangling the relationships between task-specific strategy use, everyday strategy use, and associative memory. *Aging, Neuropsychology, and Cognition*. Advance online publication. <https://doi.org/10.1080/13825585.2024.2345408>
- Yun, K., Song, I.-U., & Chung, Y.-A. (2016). Changes in cerebral glucose metabolism after 3 weeks of noninvasive electrical stimulation of mild cognitive impairment patients. *Alzheimer's Research & Therapy*, 8, Article 49. <https://doi.org/10.1186/s13195-016-0218-6>
- Zhang, J.-X., Wang, L., Hou, H.-Y., Yue, C.-L., Wang, L., & Li, H.-J. (2021). Age-related impairment of navigation and strategy in virtual star maze. *BMC Geriatrics*, 21, Article 108. <https://doi.org/10.1186/s12877-021-02034-y>